



Practical introduction to GRASS and related software for beginners

Marco Ciolli, Clara Tattoni and Paolo Zatelli

Department of Civil and Environmental Engineering
University of Trento
Italy



UNIVERSITÀ DEGLI STUDI DI TRENTO

Dipartimento di Ingegneria Civile
e Ambientale





Who are you, anyway?

We are researchers in GIS and environmental applications at the University of Trento, Italy, for more than ten years.

We have organized the "Open Source Free Software GIS - GRASS users conference 2002", Trento, Italy, in 2002.

We have already organized the workshops:

- "GRASS Beginners" and "GRASS external RDBMS" for FOSS4G2006
- "GRASS GIS and RDBMS" for FOSS4G2007
- "Practical introduction to GRASS and related software for beginners" for FOSS4G2008 and FOSS4G2009





What are we going to do?

Well, of course, a “Practical introduction to GRASS and related software for beginners”!

It consists in:

- ✓ a brief presentation of GRASS;
- ✓ a hands-on tutorial.





What are we going to use?

The workshop material is self-contained in the Virtual Machine we are using. The Virtual Machine contains:

- ✓ The software
 - ✓ Xubuntu 10.04 with:
 - ✓ GRASS GIS 6.4RC6;
 - ✓ R 2.10.1 with GRASS support;
 - ✓ QGIS 1.4.0 with GRASS plugin, PostgreSQL 8.4.4, PostGIS 1.5.1, pgAdminIII 1.10.1 and pgagent 3.0.1.
- ✓ GRASS tutorial;
- ✓ These slides.





Where can I find this?

The workshop material is available on our web site:

<http://www.ing.unitn.it/~grass>

There you find:

- ✓ LIVE DVD iso images. Virtual Machines;
- ✓ GRASS tutorials;
- ✓ Other GRASS and GIS related documents and software.





What is GRASS?

grass [gras, grahs] noun

1. any plant of the family Gramineae, having jointed stems, sheathing leaves, and seedlike grains...
2. GRASS GIS (**G**eographic **R**esources **A**nalysis **S**upport **S**ystem), a Geographic Information System (GIS).
It is available under the GNU General Public License (GPL).
It is part of the OSGeo's projects family.





Where does GRASS come from?

GRASS was originally developed in the beginning of the 1980s by the US Army Construction Engineering Research Laboratories (USA-CERL), published as a public domain software.

The USA-CERL withdrew from the GRASS development in the early 1990s.

From 1999 it is developed by an international developer team, which published GRASS as a free software under the terms of the GNU General Public License.

The main site is <http://grass.osgeo.org/>





What can GRASS do for me?

Main GRASS features are:

- 2D raster analysis and 3D voxel (volumes) management
- 2D/3D vector engine with SQL based DBMS support
- Image processing modules
- Vector network analysis, Linear Referencing System
- Visualization of 2D, 3D maps and volumes
- Interoperable with standard raster and vector formats
- Works on GNU/Linux, Mac OS X, MS-Windows and other POSIX compliant platforms
- Modular architecture and scripting capabilities for batch processing





Is GRASS alone out there?

GRASS can be used as a stand alone Desktop GIS and as the backbone of a complete GIS infrastructure:

Data viewer	GIS Analysis	DBMS	WebMapping	Interoperability
QGIS	GRASS	PostgreSQL/PostGIS	UMN Mapserver	GDAL/OGR
Thuban	GRASS/R-stats	MySQL	GeoServer	PROJ4
OpenEV	JGRASS		Mapbender	FDO
	JUMP		Mapbuilder	GeoTools
	uDIG		Openlayers	GEOS
	gvSIG			

Quantum GIS

Thuban


JUMP Unified Mapping Platform

OpenEV



MAPSERVER





Where can I get GRASS?

File Edit View History Bookmarks Tools Help

http://grass.osgeo.org/

Most Visited R Repubblica BBC NEWS Adige MeteoTrentino DOLOMITI METEO ESSE3 Router



Welcome to GRASS GIS

You are at the official GRASS site in UNITED STATES (US) ([mirror sites](#))
This site is updated daily: 29 Jun 2010

Search Home Intro Docs **Download** Community Applications Development

Advanced search

About GRASS
Screenshots
Download
Wiki - help site | FAQ
Mirror sites
Mailing lists | IRC
Translating
Newsletter
Get involved!
GRASS in the Press
Bug/Feature trackers

Donate



OPEN SOURCE GIS:
A GRASS GIS

Celebrating 25 years!



GRASS User map ([without pop-up](#))

Geographic Resources Analysis Support System

Commonly referred to as GRASS, this is free Geographic Information System (GIS) software used for geospatial data management and analysis, image processing, graphics/maps production, spatial modeling, and visualization. GRASS is currently used in academic and commercial settings around the world, as well as by many governmental agencies and environmental consulting companies. GRASS is an official project of the [Open Source Geospatial Foundation](#).

Module of the day:
[r_surf.area](#) Surface area estimation for rasters.

Latest News! RSS FEED

- 21 Mar 2010: [6.4.0 RC6 packages for Windows and Mac OSX](#) - Installers are now available for download
- 20 Mar 2010: [GRASS 6.4.0 RC6 source code released](#) - Sixth release candidate of stable release 6.4.0 with new stability fixes
- 17 Sep 2009: [GRASS 6.4.0 module synopsis published](#) - A list of all modules with GUI menu locations

Upcoming GRASS/FOSS4G related events: RSS FEED

Done

The main reference is the web site

<http://grass.osgeo.org/>





Which versions of GRASS exist?

N E X T S T A B L E	GRASS 6.4 (next stable version; new wxPython GUI, more...) Currently undergoing final testing.		
	Binaries	Source code	Manuals
	GNU/Linux: <ul style="list-style-type: none"> • Debian • Mandriva (urpmi grass) • OpenSUSE (Geo Repo) • Red Hat Enterprise Linux (RHEL, CentOS and Scientific Linux) • Ubuntu (9.04, 9.10) • Generic weekly snapshot Mac OSX MS-Windows	<ul style="list-style-type: none"> • grass-6.4.0RC6.tar.gz (md5sum) • Weekly 6.4-svn snapshot • Download latest 6.4-svn code • 6.4-svn source code browser 	<ul style="list-style-type: none"> • User manual pages • Programmer's Manual • Compiling source code
	<hr/>		
N E W D E V E L	GRASS 6.5 (restricted development; testbed for backporting, more...) Utility version for developers.		
	Binaries	Source code	Manuals
	Weekly snapshot: <ul style="list-style-type: none"> • Generic GNU/Linux Daily snapshot: <ul style="list-style-type: none"> • MS-Windows 	<ul style="list-style-type: none"> • Weekly 6.5-svn snapshot • Download latest 6.5-svn code • 6.5-svn source code browser 	<ul style="list-style-type: none"> • User manual pages • Programmer's Manual • Compiling source code
	<hr/>		
N E W D E V E L	GRASS 7 (active development version; partial rewrite, more...) Unstable and experimental, but usually works. Compatibility with earlier versions is not guaranteed.		
	Binaries	Source code	Manuals
	Weekly snapshot: <ul style="list-style-type: none"> • Generic GNU/Linux Daily snapshot: <ul style="list-style-type: none"> • MS-Windows 	<ul style="list-style-type: none"> • Weekly 7.0-svn snapshot • Download latest 7.0-svn code • 7.0-svn source code browser 	<ul style="list-style-type: none"> • User manual pages • Programmer's Manual • Compiling source code
	<hr/>		

3 GRASS versions are currently available:

- 6.4.0 RC6 (next) stable
- 6.5 development
- 7 development (partial rewrite)





Which OSs does GRASS run on?

GRASS is developed mostly in Linux but binaries for other operative systems are available (besides source code as weekly snapshot or SVN):

6.4.0 (next) stable: GNU/Linux (Generic weekly snapshot, Debian, Mandriva, OpenSUSE, Red Hat, Ubuntu), MacOSX, MS Windows (Windows XP and Vista, 32 and 64 bit).

6.5 development: Weekly Generic GNU/Linux, Daily MS-Windows snapshot.

7 development (rewrite): Weekly Generic GNU/Linux, Daily MS-Windows snapshot.





Binary or source code?

Should I compile GRASS?

There are pros and cons:

	Pros	Cons
Binary	Easy and fast installation	Standard compile parameters, generated periodically
Source	Optimization possible, latest version available	Must be configured, development libraries must be available

For beginners binaries are the best choice, those able to configure and compile GRASS from source benefit from its optimization (and the possibility to develop).





What if I want only to try GRASS?

The easiest way to try out GRASS without messing with installation is to use a Live CD/DVD or an USB distribution with pre-installed GRASS.

See <http://grass.osgeo.org/download/cdrom.php>

USB stick: slaxGIS, FOSSGIS on USB Stick.

CDROM/DVD: ArcheOS, DebianGIS Live Image, FOSS4G Toolkit CD, FOSS4G2006 LiveCD, FOSS4G2008 live Workshop DVD, geobuntu, , GISAK - Knoppix based GIS LiveCD, Italian GRASS DVD, Ominiverdi LiveCD Project, OSGEO Live GIS Disc, Poseidon Linux, SOURCEPOLE GIS Knoppix.





What does GRASS look like?

GNU/Linux (KDE 4)

The screenshot displays the GRASS GIS interface in KDE 4. It includes several windows:

- GRASS GIS Layer Manager:** Shows two displays. Display 2 has two layers: 'streams@PERMANENT (opacity: 100%)' and 'elevation@PERMANENT (opacity: 100%)'. A 'Command output' tab is visible at the bottom.
- g.region [general]:** A dialog box for managing geographic region boundaries. It has tabs for 'Existing', 'Bounds', 'Resolution', 'Effects', and 'Print'. The 'Existing' tab is active, showing options to set the region from named regions, raster maps, 3D raster maps, vector maps, or 3D view files.
- GRASS GIS Map Display:** Shows a 2D map view with a color-coded elevation and stream network. It includes a toolbar with navigation tools and a '3D view' dropdown menu.
- Terminal Window (paolo : grass64):** Shows the GRASS logo and a welcome message for version 6.4.0RC4 (2009). It provides the GRASS homepage URL (<http://grass.osgeo.org/>) and lists commands for help, manual, version, and GUI. The prompt is 'GRASS 6.4.0RC4 (gisdemo_ncspm):~ >'.

See also <http://grass.osgeo.org/screenshots/index.php>





How many GUIs exist?

Short answer: a lot.

Long answer: one of the best features of GRASS is that everything can be done using the **C**ommand **L**ine **I**nterface (CLI), the GUIs “build” the command line. Historically, several interfaces have been developed. Those actually in use are:

Python: the current interface for 6.4;

Tcl/Tk: it is used in older versions, up to 6.3 (but it is still available in the current version, you can try it with “g.gui gui=tcltk” or “g.gui gui=oldtcltk”);

QGIS: this GIS can be used as an interface for GRASS, since it is able to run GRASS commands. This approach is mostly used in MS Windows.





What do I need to run GRASS?

A fairly modern Pc will do.

You need an operative system supported by GRASS: some flavor of UNIX (Solaris, IRIX, Linux, BSD), Mac OS X or MS windows (with or without cygwin).

The system (binaries, configuration, etc.) needs about 50 MB of disk space (the actual space is platform dependent). To compile GRASS you need around 500 MB of disk space.

Real requirements depend on the data you want to process.

Live CD/DVD are usually more demanding in terms of memory.





Which data can GRASS r/w?

Like most of the GISs, GRASS uses the GDAL library to handle data file I/O, so basically all the currently used formats are supported.

See <http://www.gdal.org/> for details.

Datum and projection management is done by the PROJ4 library, see <http://proj.maptools.org/>





How does GRASS run?

GRASS itself is a working environment, the job is actually carried out by programs (called “modules”) running inside this environment.

Currently more than 350 modules are available.

To perform complex tasks modules are combined, each one doing part of the job, usually in scripts.

Moreover, more than 100 add-on modules are available on the GRASS web site.





How can I find a module?

Modules are grouped by their scope, using significant names *x.action*, where *x* is:

- d.* - display commands for graphical screen output (ex. d.rast)
- g.* - general file management commands (ex. g.region)
- i.* - image processing commands (ex. i.orthophoto)
- r.* - raster processing commands (ex. r.report)
- r3.* - raster 3D processing commands (ex. r3.mapcalc)
- v.* - vector processing commands (ex. v.buffer)
- m.* - miscellaneous commands
- p.* / ps.* - map creation commands (ex. ps.map)
- ... - unix scripts





What are GRASS projects?

In GRASS projects are broken into three levels:

- **dbase**: the “(geo)database”, basically a directory containing all the data;
- **location**: a set of maps and data *sharing the same datum*;
- **mapset**: a location's subset.

To start a new GRASS project a new location (in this way reference system and projection are set) and a mapset are created.

A *PERMANENT* mapset is created by default to store the datum information and the read-only data (incl. maps).





What is the *region*?

The *current region* or simply the *region* is a fundamental concept in GRASS: it identifies **the extents and the resolution** (for raster maps) **used in all the operations**, *regardless of the properties of the maps involved.*

All the raster maps are re-sampled on the fly to the resolution of the current region and only the part inside the current region's extents is used (smaller maps are padded with NULL values). However, only output maps are affected from the current region settings, input maps are not modified.

To further complicate the matter, map display is independent from the current region settings.





How is GRASS used?

There are different ways to use GRASS, depending on your skills and applications' complexity:

- using one of the GUIs – easier to start with, more intuitive;
- using the CLI – more difficult but faster once you know the modules' parameters (and you can reuse the commands);
- using scripts – the best way to use GRASS for experienced users, especially for complex applications; it is possible to automatically rerun the whole procedure after modifying one or more parameters and to use loops, conditional commands execution, ...





Where can I find more?

This is a GRASS beginners' workshop, extensive documentation exists for the use of GRASS in particular fields.

For example, for GRASS and DBMS see the FOSS4G2007 "GRASS GIS and RDBMS" workshop.

A rich source of information is the "Special topic" section of the documentation site:


<http://grass.osgeo.org/gdp/special.php>





What now?

Let's start the hands-on part:

- open the tutorial by clicking the Tutorial icon;
- when the tutorial suggests you to do so, run GRASS by clicking on the  icon;
- the dataset is in the “grass” directory and the relevant GRASS' parameter are already set;
- enjoy GRASS!

